



## TOBACCO COMPARSION


**TIME:** April-July, 2015

**TEST SITE:** Yunnan, China

**TEST METHOD:** Spray

**TEST AREA:** 1 Acre adjacent to 100 acres of the same tobacco field.

**PRODUCT USED:** *EarthCare with SumaGrow<sup>tm</sup>* (1:20 water dilution)



Tobaccos 60days W/O SumaGrow (1)



Tobaccos 60days WITH SumaGrow (W1)



Tobaccos 60days W/O SumaGrow (2)



Tobaccos 60days WITH SumaGrow (W2)

**REMARKS:** 1<sup>st</sup> application of the Earthcare with SumaGrow was applied 30 days after tobaccos were planted. Test site inspection was conducted 30days after the 1<sup>st</sup> application, 60days after the tobaccos were planted, bigger leaf size, dark green color and faster growing of the plants were observed in the test field (Pictures W1, W2).



Tobaccos 90days W/O SumaGrow (3)



Tobaccos 90days WITH SumaGrow (W3)



Tobaccos 90days W/O SumaGrow (4)



Tobaccos 90days WITH SumaGrow (W4)



Tobaccos 90days, on the left side: Tobaccos with SumaGrow, on the right side: Tobaccos without SumaGrow

**REMARKS:** 2<sup>nd</sup> application of the Earthcare with SumaGrow was applied 30 days after the 1<sup>st</sup> application, 60 days after the tobaccos were planted. Test site inspection was conducted 30days after the 2<sup>nd</sup> application, 90days after the tobacco were planted, bigger leaf size, dark green color, faster growing and taller of the plants were observed in the test field.